Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- (Currently amended) A composition comprising a lithium fluoride compound demonstrating a specific capacity of about 100 mAh/g to about 700 mAh/g at a voltage of about 2 volts to about 5 volts relative to a Li/Li⁺ reference potential.
- 2. (Previously presented) The composition of claim 1, further comprising elemental carbon.
- (Previously presented) The composition of claim 1, further comprising an elemental metal.
- (Previously presented) The composition of claim 3, wherein the elemental metal is Fe, Co, Ni, Mn, Cu, V, Mo, Pb, Sb, Bi or Si.
- (Previously presented) The composition of claim 1, wherein the specific capacity is reversible.
- (Previously presented) The composition of claim 1, wherein the composition demonstrates a specific capacity about 550 mAh/g to about 700 mAh/g.
- (Previously presented) The composition of claim 1, wherein the lithium fluoride compound comprises LiF.
- 8. (Currently amended) The composition of claim 1, wherein the lithium fluoride compound comprises a compound of the formula Li₃MeF_x where Me is a metal other than Co, and wherein the values of y and x are such that, based on the oxidation state of metal Me, the lithium fluoride compound is neutral.
- (Previously presented) The composition of claim 8, wherein the Me is a transition metal.

Application No. 10/721,924 Amdt. Dated July 17, 2007 Reply to Office Action of January 18, 2007

- (Currently amended) The composition of claim 8, wherein the Me is Fe, Ge, Ni, Mn, Cu, V, Mo, Pb, Sb, Bi, or Si.
- 11. (Previously presented) The composition of claim 8, wherein the lithium fluoride compound comprises LiFeF₃.
- (Previously presented) The composition of claim 1, wherein the lithium fluoride compound comprises particles of about 1 nm to about 100 nm.
- 13. (Previously presented) The composition of claim 1, wherein the lithium fluoride compound comprises particles of about 1 nm to about 50 nm.
- 14. (Previously presented) The composition of claim 1, wherein the lithium fluoride compound comprises particles of about 2 nm to about 30 nm.
- 15. (Previously presented) The composition of claim 1, wherein the lithium fluoride compound comprises particles of about 2 nm to about 15 nm.
- 16. (Currently amended) A composition comprising particles of about 1-nm-to about 100-nm-2 nm to about 15 nm, wherein the particles comprise a lithium fluoride compound.
- (Previously presented) The composition of claim 16, further comprising elemental carbon.
 - 18. (Canceled)
 - 19. (Canceled
 - 20. (Canceled)
- (Previously presented) The composition of claim 16, wherein the lithium fluoride compound comprises LiF.
- 22. (Previously presented) The composition of claim 16, wherein the lithium fluoride compound comprises a compound of the formula Li₂MeF_x where Me is a metal

and wherein the values of y and x are such that, based on the oxidation state of metal Me, the lithium fluoride compound is neutral.

- (Previously presented) The composition of claim 22, wherein the Me is a transition metal.
- (Previously presented) The composition of claim 22, wherein the Me is Fe,
 Ni, Mn, Cu, V, Mo, Pb, Sb, Bi, or Si.
- (Previously presented) The composition of claim 22, wherein the lithium fluoride compound comprises LiFeF₃.
- 26. (Previously presented) The composition of claim 16, further comprising an elemental metal.
- (Previously presented) The composition of claim 26, wherein the elemental transition metal is Fe, Co, Ni, Mn, Cu, V, Mo, Pb, Sb, Bi, or Si.
- 28. (Currently amended) The composition of claim 16, wherein the composition demonstrates a specific capacity of about 100 mAh/g to about 700 mAh/g at a voltage of about 2 volts to about 5 volts relative to a Li/Li⁺ reference potential.
- (Previously presented) The composition of claim 28, wherein the specific capacity is reversible.
- (Previously presented) The composition of claim 16, wherein the composition demonstrates a specific capacity about 550 mAh/g to about 700 mAh/g.
- 31. (Withdrawn) An electrochemical cell comprising: (a) negative electrode; (b) a positive electrode comprising a lithium fluoride compound; and (c) a separator disposed between the negative and positive electrodes, wherein the electrochemical cell demonstrates a specific capacity of about 100 mAh/g to about 700 mAh/g at a voltage of about 2 volts to about 5 volts.

- 32. (Withdrawn) The electrochemical cell of claim 31, wherein the positive electrode further comprises elemental carbon.
- 33. (Withdrawn) The electrochemical cell of claim 31, wherein the specific capacity is reversible.
- 34. (Withdrawn) The electrochemical cell of claim 31, wherein the specific capacity is about 550 mAh/g to about 700 mAh/g.
- 35. (Withdrawn) The electrochemical cell of claim 31, wherein the lithium fluoride compound comprises LiF.
- 36. (Withdrawn) The electrochemical cell of claim 31, wherein the lithium fluoride compound comprises a compound of the formula Li₂MeF_x where Me is a metal and wherein the values of y and x are such that, based on the oxidation state of metal Me, the lithium fluoride compound is neutral.
- 37. (Withdrawn) The electrochemical cell of claim 36, wherein the Me is a transition metal
- 38. (Withdrawn) The electrochemical cell of claim 36, wherein the Me is Fe, Co, Ni, Mn, Cu, V, Mo, Pb, Sb, Bi, or Si.
- (Withdrawn) The electrochemical cell of claim 36, wherein the lithium fluoride compound comprises LiFeF.sub.3.
- 40. (Withdrawn) The electrochemical cell of claim 31, wherein the positive electrode further comprises an elemental metal.
- 41. (Withdrawn) The electrochemical cell of claim 40, wherein the elemental metal is Fe, Co, Ni, Mn, Cu, V, Mo, Pb, Sb, Bi, or Si.
- 42. (Withdrawn) The electrochemical cell of claim 31, wherein the positive electrode comprises particles of about 1 nm to about 100 nm and the particles comprise the lithium fluoride compound.

- 43. (Withdrawn) The electrochemical cell of claim 42, wherein the particles are of about 1 nm to about 50 nm.
- 44. (Withdrawn) The electrochemical cell of claim 42, wherein the particles are of about 2 nm to about 30 nm.
- 45. (Withdrawn) The electrochemical cell of claim 42, wherein the particles are of about 2 nm to about 15 nm.
- 46. (Withdrawn) The electrochemical cell of claim 31, further comprising a lithium metal negative electrode.
- 47. (Withdrawn) An electrochemical cell comprising: (a) negative electrode; (b) a positive electrode comprising particles of about 1 nm to about 100 nm, wherein the particles comprise a lithium fluoride compound; and (c) a separator disposed between the negative and positive electrodes.
- 48. (Withdrawn) The electrochemical cell of claim 47, wherein the particles further comprise elemental carbon.
- 49. (Withdrawn) The electrochemical cell of claim 47, wherein the particles are of about 1 nm to about 50 nm.
- 50. (Withdrawn) The electrochemical cell of claim 47, wherein the particles are of about 2 nm to about 30 nm.
- 51. (Withdrawn) The electrochemical cell of claim 47, wherein the particles are of about 2 nm to about 15 nm.
- 52. (Withdrawn) The electrochemical cell of claim 47, wherein the positive electrode further comprises an elemental metal.
- 53. (Withdrawn) The electrochemical cell of claim 52, wherein the elemental transition metal is Fe, Co, Ni, Mn, Cu, V, Mo, Pb, Sb, Bi, or Si.

Application No. 10/721,924 Amdt, Dated July 17, 2007 Reply to Office Action of January 18, 2007

- 54. (Withdrawn) The electrochemical cell of claim 47, wherein the electrochemical cell demonstrates a specific capacity of about 100 mAh/g to about 700 mAh/g at a voltage of about 2 volts to about 5 volts.
- 55. (Withdrawn) The electrochemical cell of claim 54, wherein the specific capacity is reversible.
- 56. (Withdrawn) The electrochemical cell of claim 54, wherein the specific capacity is about 550 mAh/g to about 700 mAh/g.
- 57. (Withdrawn) The electrochemical cell of claim 47, wherein the lithium fluoride compound comprises LiF.
- 58. (Withdrawn) The electrochemical cell of claim 47, wherein the lithium fluoride compound comprises a compound of the formula Li₂MeF_x where Me is a metal and wherein the values of y and x are such that, based on the oxidation state of metal Me, the lithium fluoride compound is neutral.
- 59. (Withdrawn) The electrochemical cell of claim 58, wherein the Me is a transition metal
- 60. (Withdrawn) The electrochemical cell of claim 58, wherein the Me is Fe, Co, Ni, Mn, Cu, V, Mo, Pb, Sb, Bi, or Si.
- (Withdrawn) The electrochemical cell of claim 58, wherein the lithium fluoride compound comprises LiPeF.sub.3.
- 62. (Withdrawn) The electrochemical cell of claim 58, wherein the lithium fluoride compound comprises LiFeF.sub.3.
- (Withdrawn) The electrochemical cell of claim 47, wherein the lithium fluoride compound LiFeF.sub.3.
- 64. (Withdrawn) The electrochemical cell of claim 47, further comprising a lithium metal negative electrode.